



ANTENA



# A31 ANTENA




## ESPECIFICACIONES TÉCNICAS

<b>GPS, Glonass, BeiDou, Galileo, SBAS, L-Band and Beacon Antenna</b>	
<b>GNSS Sensor</b>	
GNSS Reception:	GPS L1, GLONASS G1, BeiDou B1, Galileo E1, SBAS, L-band, and Beacon
GNSS Frequency:	1.525 to 1.614 GHz
LNA Gain:	30 dB
LNA Noise:	< 2.0 dB
<b>L-Band Sensor</b>	
L-Band Frequency:	1.525 to 1.614 GHz
L-Band LNA Gain:	30 dB
<b>Beacon Sensor</b>	
Beacon Frequency:	283.5 - 325 KHz
Beacon LNA Gain:	30 dB
<b>Power Input</b>	
Input Voltage:	5 to 12 VDC
Input Current:	50 - 60 mA
<b>Mechanical</b>	
Enclosure:	Lexan
Dimensions:	10.4 H x 14.5 D (cm) 4.1 H x 5.7 D (in)
Weight:	.73 kg (1.62 lbs)
Mount:	1" coarse thread (5/8" adapter available)
RF Connector:	TNC
<b>Environmental</b>	
Storage Temperature:	-40°C to +85°C (-40°F to +185°F)
Operating Temperature:	-30°C to +70°C (-22°F to +158°F)
Enclosure Rating:	IP69K
Shock and Vibration:	EP455





OCEANPROO



Oceanografía

Meteorología

Drones/RPAS

Hidrografía

Topografía



Solicita tu cotización y visítanos en:

<https://www.oceanproo.net>

Ubícanos en:

Av. Las Palmeras N° 5334  
Los Olivos 15304



<https://www.oceanproo.net>

 +51 933302313

 [cotizaciones@bidhumva.com](mailto:cotizaciones@bidhumva.com)